


1650 Pro Tiller



SPECIFICATIONS

Overall length	16' 8" (5.1 m)
Package length	19' 10" (6.0 cm)
Maximum beam	85.75" (218 cm)
Max. transom beam	85.75" (218 cm)
Bottom width	74" (188cm)
Chine width	72.25" (184 cm)
Max. depth	37" (94 cm)
Max cockpit depth	24" (61 cm)
Transom height	20" (51 cm)
Deadrise	12°
Weight	1,000# (454 kg)
Max. weight capacity	1,400# (635 kg)
Max. people capacity	6
Max. HP capacity	60
Fuel capacity	20 gal. (76 L)
Aluminum gauge bottom	.090"
Aluminum gauge sides	.080"
Aluminum gauge transom	.125"



1650 Pro Tiller

■ Storage Compartment ■ Rod Storage ■ Livewell

COLORS

Base

- › Pebble
- › Silver Bay

Interior

- › Taupe
- › Gray

Accent Options

- › Sport Red, Bay Blue, Storm Blue, Onyx Black, Silver Bay, or no accent color
- › Sport Red, Bay Blue or Onyx Black

With Graphics Package

STANDARD FEATURES

Helm Station

- › Command console with electronics compartment, lockable pull-out tray, rocker switches, gauges, 12V power outlet, and storage compartment
- › Fuel gauge
- › Speedometer, tachometer, and voltmeter gauges standard with pre-rig
- › Master power switch
- › Breaker switches on command console
- › Horn (concealed)

Flooring and Seating

- › 2 Deluxe Fishing Seats with 2 pedestals (1 pedestal on Tiller is fixed (mounted at dealership)
- › 4 pedestal bases
- › 16 oz. marine-grade carpet with treated panel flooring (Limited Lifetime Warranty)

Construction

- › Baked Armor-Guard paint process
- › Extruded chines with spray deflector
- › Extruded full length welded center keel
- › Extruded gunnels with "J" hook canvas cover system
- › Tru -V 12° reverse chine hull design

Quality

- › Warranty "Lifetime + 3" Protection Plan
- › "Crest-Liner" lid coating
- › Chrome door latches
- › Cockpit courtesy light(s)
- › Deck cleats (4)
- › Rub rail
- › Stainless steel bow and stern eyes

1650 Pro Tiller



STANDARD FEATURES (continued)

Accessories/Electronics

- › Bow trolling motor outlet w/ 6-gauge wiring harness

Livewells/Baitwells

- › Aerated 35", 20 gal. aft livewell with divider
- › Aerated 3.5 gal. starboard aft baitwell
- › Aerated 1.5 gal. aerated bow baitwell with throwtray

Rod Storage

- › Center locking rod storage compartment with
- › 7 tubes accommodating 7' rods
- › Starboard locking rod compartment with 7' rod length capacity and topside rod saver straps

Trailer

- › ShoreLand'r black powder-coated bunk trailer
- › 2,200 lb. capacity (CRB22LTMH)

OPTIONS

Seating

- › Butt seat with adjustable pedestal seat - Gray
- › Deluxe fishing seat with pedestal (add'l) - Gray
- › Exchange 2 Deluxe seats for 2 Pro fishing seats - Gray
- › Power pedestal exchange (each)
- › Pro fishing seat with pedestal (add'l) - Gray

Accessories/Miscellaneous

- › Cargo netting (bow - 2)
- › Bow dry storage compartment - 17.5"x16x8" (port)
- › Bow dry storage compartments - 17.5"x16x8" (port and starboard)
- › Recirculating system with light and timer for stern livewell
- › Swim platform with ladder
- › Washdown system

Stereos

- › Jensen stereo - AM/FM, USB, iPod jack, Sirius radio ready
- › Sony stereo - AM/FM, CD, iPod jack, Sirius radio ready

Flooring

- › Northwest Package (vinyl floor in lieu of carpet)
- › Snap-in cockpit carpet for Northwest Package option
- › Vinyl floor for cockpit area only, carpeted decks

Storage/Convenience

- › Bow casting platform with storage compartments
- › Aft casting platform with starboard battery/oil storage compartment
- › Lockable port cockpit compartment
- › Port and starboard bow compartments
- › Bow deck cubby storage
- › Trolling motor battery storage compartment (24V system compatible) under center rod locker
- › Drink holders (2)

Safety/Security

- › Bilge pump
- › Fire extinguisher
- › Lanyard ignition stop switch
- › Level floatation
- › Navigation lights
- › Safety grab handles

Depth/Fishfinder

- › Lowrance X-4 Fish-Finding Sonar
- › Lowrance Elite-5 DSI Fishfinder/Chartplotter
- › Lowrance Elite-5X DSI Fishfinder
- › Lowrance Elite-5 Sonar Fishfinder/Chartplotter
- › Lowrance Elite-5X Sonar Fishfinder
- › Lowrance Mark-5X Sonar Fishfinder
- › Lowrance Mark-5X DSI Fishfinder
- › Lowrance HDS-5X Multifunction Echosounder
- › Lowrance HDS-5 Fishfinder/GPS Chartplotter
- › Lowrance HDS-7 Fishfinder/GPS Chartplotter (U.S. BaseMap)
- › Lowrance HDS-7 Fishfinder/GPS Chartplotter (Insight USA)
- › Lowrance HDS-8 Fishfinder/GPS Chartplotter (U.S. BaseMap)
- › Lowrance HDS-8 Fishfinder/GPS Chartplotter (Insight USA)
- › Lowrance HDS-10 Fishfinder/GPS Chartplotter (U.S. BaseMap)
- › Lowrance HDS-10 Fishfinder/GPS Chartplotter (Insight USA)
- › Humminbird Piranhamax 160 Sonar Fishfinder
- › Humminbird 385ci Combo Sonar Fishfinder/GPS Chartplotter
- › Humminbird 788ci HD Combo Sonar Fishfinder/GPS Chartplotter
- › Humminbird 958c Combo Sonar Fishfinder/GPS Chartplotter
- › Humminbird 998c SI Combo Side Imaging/Sonar/GPS Chartplotter
- › Humminbird 1158c Combo Sonar Fishfinder/GPS Chartplotter
- › Humminbird 1198c SI Combo Side Imaging/Sonar/GPS Chartplotter

1650 Pro Tiller



OPTIONS

Depth/Fishfinder Accessories

- › Lowrance StructureScan Sonar Imaging Option for HDS
- › Lowrance Network System Cable - NMEA (HDS Units)
- › Lowrance Ethernet Cable 15'
- › Lowrance Ethernet Cable 25'
- › Lowrance Ethernet Cable 50'
- › Humminbird Ethernet Cable 30'
- › Humminbird Ethernet Adapter Cable 7 Series
- › Minn Kota to Humminbird Sonar Adapter
- › Minn Kota to Lowrance Universal Sonar Adapter
- › MotorGuide to Humminbird Sonar Adapter
- › MotorGuide to Lowrance Universal Sonar Adapter

Battery Chargers

- › ProMariner 1 bank battery charger
- › ProMariner 2 bank battery charger
- › ProMariner 3 bank battery charger

Props

- › Mercury Black Max 10.875 x 11.000 (Aluminum)
- › Mercury Black Max 10.625 x 12.000 (Aluminum)

Paint and Graphics

- › Mad Fish Graphics Package

Canvas

- › Bimini top (folding) with boot, bag and quick connectors
- › Custom travel cover, snapless design

TRAILER OPTIONS

Tires and Brakes

- › Radial tires upgrade
- › Bias spare tire and painted bracket
- › Radial spare tire and painted bracket
- › Bias galvanized spare tire and galvanized bracket
- › Radial galvanized spare tire and galvanized bracket

Trolling Motors

- › MotorGuide W45 54" 12V w/ Foot Pedal (Bow Mounted)
- › MotorGuide W55 54" 12V w/ Foot Pedal (Bow Mounted)
- › MotorGuide W75 54" 24V w/ Foot Pedal (Bow Mounted)
- › MotorGuide W75 60" 24V w/ Foot Pedal (Bow Mounted)
- › MotorGuide W55L 54" 12V w/ Foot Pedal (Bow Mounted)
- › MotorGuide W75L 60" 24V w/ Foot Pedal (Bow Mounted)
- › MotorGuide TR82L FBD 60" 24V 24MT (Bow Mounted)
- › Minn Kota PowerDrive V2 55 54" (Bow Mounted)
- › Minn Kota PowerDrive V2 55 US2/54" (Bow Mounted)
- › Minn Kota PowerDrive V2 55 AP/54" (Bow Mounted)
- › Minn Kota PowerDrive V2 55 AP/US2/54" (Bow Mounted)
- › Minn Kota PowerDrive V2 70 60" (Bow Mounted)
- › Minn Kota PowerDrive V2 70 US2/60" (Bow Mounted)
- › Minn Kota PowerDrive V2 70 AP/60" (Bow Mounted)
- › Minn Kota PowerDrive V2 70 AP/US2/60" (Bow Mounted)
- › Minn Kota PowerDrive V2 70 AP/US2/60" w/ IPILOT (no foot pedal) (Bow Mounted)
- › Minn Kota Terrova 55 AP/54" (Bow Mounted)
- › Minn Kota Terrova 55 AP/US2/54" (Bow Mounted)
- › Minn Kota Terrova 55 IPILOT/US2/54" (incl. foot pedal) (Bow Mounted)
- › Minn Kota Terrova 80 AP/60" (Bow Mounted)
- › Minn Kota Terrova 80 AP/US2/60" (Bow Mounted)
- › Minn Kota Terrova 80 IPILOT/US2/60" (incl. foot pedal) (Bow Mounted)
- › Stern trolling motor outlet w/ 6-gauge wiring harness
- › MotorGuide V55HT 36" 12V TL MT (Transom Mounted)
- › MotorGuide V75 HT 42" 24V TL MT (Transom Mounted)
- › Minn Kota Vantage 80 (Transom Mounted)

Load Guides

- › Load guides - powdercoated bunk
- › Load guides - galvanized bunk

Upgraded Trailers

- › Upgrade to Galvanized Bunk
- › Upgrade to Black Powdercoated Roller